




SPECIFICATION:
WITC001-LED 3" FROSTED ALL 4 SIDES WITH
FINGER PRINT PROOF PROTECTION


1. Mirror: 5mm thickness copper-free mirror, ecofriendly, mirrors with round edges and round corners no straight edges; finger print protection for frosted areas only.
2. Lights: IP67 water resistant CE listed LED strip smd2835 120 chips per meter IP67; color 2700K-6100K ; 240 chip count available 2700K-6100K. CRI 90. ETL CERTIFICATE FOR FIXTURE ;UL LISTED DRIVER CE, ROHS COMPLIANT.CSA C22.2 NO.250.0-08 LUMINAIRE UL2108
3. Driver: UL listed, IP67 water resistant; 110V with 30" whip for hard wire.
4. Ground wires: a ground wire on the light box and the driver have a ground wire for the junction box centered ;30 " inch long whip with pig tail for hardwire ; or angle plug.
5. Waterproof anodized Aluminum frames and backbody.
6. Warranty: 5 year warranty electrical components.
7. Fixture should be mounted to a sound surface. Installer should mount hardware in a solid material for proper installation.



Style witc001 with out 3" frosted only led back light



Style
WITC001
 Standard
 Sizes
 24x36
 36x36
 42x36
 48x36



Options.

Options or Upgrades for Style WITC001
 Bluetooth- Digital Clock-
 Digital TV-Radio- 5 Year Warranty-
 Mirror Frames-Magnifying Mirror-
 Single/Dual Shaver Socket-
 Mirror heating pad-Infrared Sensor Switch-
 Touch Switch / Press button Switch-
 Finger Print Proof Protection-
 Side Diffusers-Night Light
 Standard Sizes/Custom Sizes Available



WITC Inc.
 584 Beaconsfield Ave.
 Naperville, IL 60565


www.witc.co

Style WITC001
 Contact: Dan Thomas
 PH:630.405.9252 /danthomas@witc.co




Style WITC002
Standard Sizes
24x36
36x36
42x36
48x36
54x36
Custom Sizes

Vertical or Horizontal Led light strip Available



Left and Right



Top and Bottom



SPECIFICATION:
3" FROSTED TWO SIDES/LED LIGHT TWO
SIDES OPTIONS;
TOP/BOTTOM OR LEFT AND RIGHT
36"Wx36"Hx3"T O.D.

1. Mirror: 5mm thickness copper-free mirror, ecofriendly, mirrors with round edges and round corners no straight edges. ETL COMPLIANT FIXTURE; UL LISTED DRIVER.
2. Lights: IP67 water resistant CE listed LED strip smd2835 240 chips per meter OR 120 chip per meter. Silicon Gel Waterproof ; color 6100K;
3. Driver: UL listed, IP67 water resistant; 110V
4. Ground wires: a ground wire on the light box and the driver have a ground wire for the junction box centered ; 24 " inch long whip with a pig tail for hard wire or angle plug;
5. Waterproof anodized Aluminum frames and backbody.
6. Warranty: 5 year warranty electrical components.
7. Fixture should be mounted to a sound surface. Installer should mount hardware in a solid material for proper installation.



Style
WITC002

Standard Sizes:

- 24x36
- 30x30
- 30x42
- 36x36
- 42x36
- 42x42
- 48x36
- 54x42
- 60x36

Specifications and Options.

Options or Upgrades for Style WITC002
Bluetooth- Digital Clock-
Digital TV-Radio-
Mirror Frames-Magnifying Mirror-
Single/Dual Shaver Socket-
Mirror heating pad-
Infrared Sensor Switch-
Touch Switch / Press button Switch-
Night Light
Standard Sizes/Custom Sizes Available



Options.

Options or Upgrades for Style WITC002
Bluetooth- Digital Clock-
Digital TV-Radio-
Mirror Frames-Magnifying Mirror-
Single/Dual Shaver Socket-
Mirror heating pad-Infrared Sensor Switch-
Touch Switch / Press button Switch-
Night Light
Standard Sizes/Custom Sizes Available

Style WITC002

Contact: Dan Thomas

PH: 630.405.9252 /danthomas@witc.co

WITC Inc.
584 Beaconsfield Ave.
Naperville, IL 60565

www.witc.co




Style WITC003

Style WITC003

Standard Sizes

24x36
36x36
42x36
48x36
54x36

Custom Sizes
Available




UL 2108, Low Voltage Lighting Systems
CSA C22.2 No. 250.0-08, Luminaires
See the UL Online Certifications Directory at
www.ul.com/database for additional information



SPECIFICATION:
WITC003-LED 3" FROSTED ALL 4 SIDES
INSET 2.5" - 3" - 4" - 5"
36"Wx36"Hx3"T O.D.

1. Mirror: 5mm thickness copper-free mirror, ecofriendly, mirrors with round edges and round corners no straight edges; finger print protection for frosted areas only.
2. Lights: IP67 water resistant CE listed LED strip Smd2835 120 chips per meter or 240 chip count. Silicon Gel Waterproof; color 2700-6100K; ETL COMPLIANT FIXTURE; UL LISTED DRIVER
3. Driver: UL listed, IP67 water resistant; 110V
4. Ground wires: a ground wire on the light box and the driver have a ground wire for the junction box centered; 24" inch long whip with pig tail for hardwire or angle plug;
5. Waterproof anodized Aluminum frames and backbody.
6. Warranty: 5 year warranty electrical components.
7. Fixture should be mounted to a sound surface. Installer should mount hardware in a solid material for proper installation.



Options.

Options or Upgrades for Style WITC003

Bluetooth- Digital Clock-
Digital TV-Radio-
Mirror Frames-Magnifying Mirror-
Single/Dual Shaver Socket-
Mirror heating pad-Infrared Sensor
Switch-
Touch Switch / Press button Switch-
Night Light



Style WITC003


Standard Sizes:

- 30x30
- 30x42
- 36x36
- 42x36
- 48x36
- 54x42
- 60x42
- Inquire for custom sizes.

Options.

Options or Upgrades for Style WITC003

Bluetooth- Digital Clock-
Digital TV-Radio-
Mirror Frames-Magnifying Mirror-
Single/Dual Shaver Socket-
Mirror heating pad-
Infrared Sensor Switch-
Touch Switch / Press button Switch-
Night Light
Standard Sizes/Custom Sizes Available



UL 2108, Low Voltage Lighting Systems
CSA C22.2 No. 250.0-08, Luminaires
See the UL Online Certifications Directory at
www.ul.com/database for additional information




WITC Inc.
584 Beaconsfield Ave.
Naperville, IL 60565

www.witc.co

Style WITC003
Contact: Dan Thomas
PH: 630.405.9252 / danthomas@witc.co



Style WITC004 Left & right only



Style WITC004 Top & Bottom only

Style WITC004

Standard Sizes

24x36
36x36
42x36
48x36
54x36

Custom Sizes
Available

Options.

Options or Upgrades for Style WITC004


Bluetooth- Digital Clock-
Digital TV-Radio-
Mirror Frames-Magnifying Mirror-
Single/Dual Shaver Socket-
Mirror heating pad-Infrared Sensor Switch-
Touch Switch / Press button Switch-
Finger Print Proof Protection-
Side Diffusers-Night Light
Standard Sizes/Custom Sizes Available



WITC Inc.
584 Beaconsfield Ave.
Naperville, IL 60565

SPECIFICATION:
WITC004-LED 3" FROSTED TWO SIDES WITH
FINGER PRINT PROOF PROTECTION
36"Wx36"Hx3"T O.D. T&B OR L&R

1. Mirror: 5mm thickness copper-free mirror, ecofriendly, mirrors with round edges and round corners no straight edges; finger print protection for frosted areas only.
2. Lights: IP67 water resistant CE listed LED strip smd2835 120 chips per or 240 chip count Silicon Gel CRI90 Waterproof ;color 2700k-6100k; ETL CERTIFICATE FOR FIXTURE ;UL LISTED DRIVER .CE, ROHOS COMPLIANT.
CSA C22.2 NO.250.0-08 LUMINAIRE UL2108
3. Driver: UL listed, IP67 water resistant; 110V
4. Ground wires: a ground wire on the light box and the driver have a ground wire for the junction box centered ;24 " inch long whip WITH PIG TAIL FOR HARDWIRE;
5. Waterproof anodized Aluminum frames and backbody.
6. Warranty: 5 year warranty electrical PARTS.
7. Fixture should be mounted to a sound surface. Installer should mount hardware in a solid material for proper installation.



Style WITC004


Standard Sizes:

- 24x36
- 30x30
- 30x42
- 36x36
- 42x36
- 42x42
- 48x36
- 54x42

Options.

Options or Upgrades for Style WITC004

Bluetooth- Digital Clock-
Digital TV-Radio-
Mirror Frames-Magnifying Mirror-
Single/Dual Shaver Socket-
Mirror heating pad-
Infrared Sensor Switch-
Touch Switch / Press button Switch-
Finger Print Proof Protection-
Side Diffusers-Night Light



www.witc.co

Style WITC004
Contact: Dan Thomas
PH: 630.405.9252 / danthomas@witc.co



Circles inset StyleWITC005 Ovals inset



Circles edge StyleWITC005 Ovals edge


Style WITC005
Circles
Standard Sizes
30x30
36x36
40x40
42x42
46x46
Custom Sizes
Available

Style WITC005
Ovals
Standard Sizes
20x30
24x36
26x42
Custom Sizes
Available



WITC Inc.
584 Beaconsfield Ave.
Naperville, IL 60565


SPECIFICATION:
WITC005-LED 1.5" 2" 2.5" inset with 2" or 3" FROSTED led light Circle or Ovals
1. Mirror: 5mm thickness copper-free mirror, ecofriendly, mirrors with round edges and round corners no straight edges; finger print protection for frosted areas only.
2. Lights: IP67 water resistant CE listed LED strip smd5050 120 chips per meter or 240 chip count CRI 90 ETL CERTIFICATE FOR FIXTURE ; UL LISTED DRIVER CE, ROHS COMPLIANT. CSA C22.2 NO.250.0-08 LUMINAIRE UL2108
3. Driver: UL listed, IP67 water resistant; 110V
4. Ground wires: a ground wire on the light box and the driver have a ground wire for the junction box centered ; 24 " inch long whip with pig tail for hardwire;
5. Waterproof anodized Aluminum frames and backbody.
6. Warranty: 5 year warranty electrical,
7. Fixture should be mounted to a sound surface. Installer should mount hardware in a solid material for proper installation.



Circles inset StyleWITC005 Ovals inset



Circles edge StyleWITC005 Ovals edge



Options.

Options or Upgrades for Style WITC005
Bluetooth- Digital Clock- Digital TV-Radio-
Mirror Frames-Magnifying Mirror-
Single/Dual Shaver Socket-Mirror
heating pad-Infrared Sensor Switch-Touch Switch
Standard Sizes/Custom Sizes Available



www.witc.co

Style WITC005
Contact: Dan Thomas
PH: 630.405.9252 /danthomas@witc.co



Style WITC006

Style WITC006

Standard Sizes

24x36

36x36

42x36

48x36

54x36

Custom Sizes

Available



WITC Inc.
584 Beaconsfield Ave.
Naperville, IL 60565

Options.

Options or Upgrades for Style WITC006

5 Year Warranty-



Mirror Frame Black-Magnifying Mirror-

Mirror heating pad-Infrared Sensor Switch-

Touch Switch / -Night Light


Standard Sizes/Custom Sizes Available

SPECIFICATION:
WITC006- Framed Black 2" Black Frame 1.5" inset
2.5" FROSTED ALL FOUR SIDES
LED LIGHT ALL FOUR SIDES WITH
1.Mirror:5mm thickness copper-free mirror,ecofriendly, mirrors with round edges and round corners no straight edges;
2.Lights: IP67 water resistant CE listed LED strip smd2835 240 chips per meter or 120 chip count color 2700K; CRI90.
ETL CERTIFICATE FOR FIXTURE ;UL LISTED DRIVER
CE, ROHOS COMPLIANT.CSA C22.2 NO.250.0-08 LUMINAIRE
UL2108
3. Driver: UL listed, IP67 water resistant;110V with 30" whip pig tail for hard wire or angle plug.
4. Ground wires: a ground wire on the light box and the driver have a ground wire for the junction box centered ;30" inch long whip with pig tail for hardwire or angle plug;
5.Waterproof anodized Aluminum frames and backbody.
6. Warranty: 5 year warranty electrical,
7. Fixture should be mounted to a sound surface. Installer should mount hardware in a solid



www.witc.co

Style WITC006
Contact: Dan Thomas
PH:630.405.9252 /danthomas@witc.co



SPECIFICATION:
WITC007 - with Acrylic Diffuser Mounted on aluminum Chassis

1. Mirror: 5mm thickness copper-free mirror, ecofriendly, mirrors with round edges and round corners no straight edges;
2. Lights: IP67 water resistant CE listed LED strip smd2835 240 chips per meter IP67; color 2700K; CRI90 ETL CERTIFICATE FOR FIXTURE ; UL LISTED DRIVER CE, ROHOS COMPLIANT. CSA C22.2 NO.250.0-08 LUMINAIRE UL2108
3. Driver: UL listed, IP67 water resistant; 110V with 30" whip pig tail for hard wire or angle plug .
4. Ground wires: a ground wire on the light box and the driver have a ground wire for the junction box centered ; 30 " inch long whip or angle plug;
5. Waterproof anodized Aluminum frames and backbody.
6. Warranty: 5 year warranty electrical parts.
7. Fixture should be mounted to a sound surface. Installer should mount hardware in a solid material for proper installation.



Style WITC007 with touch sensor switch on mirror face

Style WITC007

Standard Sizes

24x36

36x36

42x36

48x36

54x36

Custom Sizes
Available

Options.


5 Year Warranty-

Acrylic Diffuser Frame

Touch Switch / Night Light

Standard Sizes

Custom Sizes Available



WITC Inc.
 584 Beaconsfield Ave.
 Naperville, IL 60565

www.witc.co

Style WITC007
 Contact: Dan Thomas
 PH: 630.405.9252 /danthomas@witc.co



Style WITC008 aluminum frame with frosted led light strip 2" wide left and right

Style WITC008

Standard Sizes

24x36


36x36

42x36

48x36

54x36

Custom Sizes
Available



Options.

5 Year Warranty-

Aluminum frame with

led light let and right side 2" wide frosted

Standard Sizes/Custom Sizes Available


ETL Certificate; UL listed Driver

SPECIFICATION:
WITC008- aluminum frame mirror with led light strip left and right.

- 1.Mirror:5mm thickness copper-free mirror,ecofriendly, mirrors with round edges and round corners no straight edges;
- 2.Lights: IP67 water resistant CE listed LED strip smd2835 240 chips per meter IP67;color 2700K; ETL CERTIFICATE FOR FIXTURE ;UL LISTED DRIVER CE, ROHOS COMPLIANT.CSA C22.2 NO.250.0-08 LUMINAIRE UL2108
3. Driver: UL listed, IP67 water resistant;110V with 30" whip pig tail for hard wire.
4. Ground wires: a ground wire on the light box and the driver have a ground wire for the junction box centered ;30 " inch long whip;with an angle plug or pig tail for hard wire.
- 5.Waterproof anodized Aluminum frames and backbody.
6. Warranty: 5 year warranty electrical parts.
7. Fixture should be mounted to a sound surface. Installer should mount hardware in a solid material for proper installation.




STYLE : WITC-008 Description
Aluminum frame with mirror led light strip left and right .
www.witc.co/danthomas@witc.co /630.405.9252



WITC Inc.
584 Beaconsfield Ave.
Naperville, IL 60565

www.witc.co

Style WITC008
Contact: Dan Thomas
PH:630.405.9252 /danthomas@witc.co



Style witc009 3" wide frosted top only inset 3" left top right

SPECIFICATION

WITC009-- 3' INCH inset left top right mirror / 3" frosted; led light top only ;IP67 water resistant CE listed LED strip smd2835 120-240 chip per meter

2700K-6100K CRI 90

- 1.Mirror:5mm thickness copper-free mirror,ecofriendly, mirrors with round edges and round corners no straight edges;finger print protection for frosted areas only.
- 2.Lights: IP67 water resistant CE listed LED strip smd2835 240 chips per meter or 120 chip count Silicon Gel Waterproof ;color 2700K-6100K; ETL CERTIFICATE FOR FIXTURE ;UL LISTED DRIVER CE, ROHOS COMPLIANT.CSA C22.2 NO.250.0-08 LUMINAIRE UL2108
3. Driver: UL listed, IP67 water resistant;110V
4. Ground wires: a ground wire on the light box and the driver have a ground wire ;30 " inch long whip with pig tail or angle plug .
- 5.Waterproof anodized Aluminum frames and backbody.
6. Warranty: 5 year warranty electrical, components.
7. Fixture should be mounted to a sound surface. Installer should mount hardware in a solid material for proper installation.

Style WITC009
Standard Sizes:
• 24x36
• 36x36
• 42x36
• 48x36
• 54x36
• Inquire for custom sizes.



Options.

Options or Upgrades for Style WITC009
Bluetooth- Digital Clock-
Digital TV-Radio-
Mirror Frames-Magnifying Mirror-
Single/Dual Shaver Socket-
Mirror heating pad-
Infrared Sensor Switch-
Touch Switch / Press button Switch-
Side Diffusers-Night Light




Style WITC009

Standard Sizes


24x36
36x36
42x36
48x36
54x36

Custom Sizes
Available



Options.

Options or Upgrades for Style WITC009
Bluetooth- Digital Clock- Digital TV-Radio-
Mirror Frames-Magnifying Mirror-Single/
Dual Shaver Socket-Mirror heating pad-Infrared Sensor Switch-
Touch Switch / Press button Switch- Night Light
Standard Sizes/Custom Sizes Available



WITC Inc.
584 Beaconsfield Ave.
Naperville, IL 60565

www.witc.co

Style WITC009
Contact: Dan Thomas
PH:630.405.9252 /danthomas@witc.co



Style witc010 Diffuser all four sides with Led light

Style WITC010

Standard Sizes

24x36
36x36
42x36
48x36
54x36

Custom Sizes
Available

Options.

Options or Upgrades for Style WITC010
Bluetooth- Digital Clock- Digital TV-Radio-
Mirror Frames-Magnifying Mirror-Single/
Mirror heating pad-Infrared Sensor Switch-
Touch Switch / Press button Switch- Night Light
Standard Sizes/Custom Sizes Available

SPECIFICATION 2"-3" Frosted WITC010; Diffuser all four side with Led light :IP67 water resistant CE listed LED strip smd2835 240 chip per meter 2700K

Or smd 2835 120-240 chip count per meter.

- 1.Mirror:5mm thickness copper-free mirror,ecofriendly, mirrors with round edges and round corners no straight edges;finger print protection for frosted areas only.
- 2.Lights: IP67 water resistant CE listed LED strip smd2835 240 chips per meter or 120 chip count Silicon Gel Waterproof ;color 2700K-6100K CRI 90; ETL CERTIFICATE FOR FIXTURE ;UL LISTED DRIVER CE, ROHOS COMPLIANT.CSA C22.2 NO.250.0-08 LUMINAIRE UL2108
3. Driver: UL listed, IP67 water resistant;110V
4. Ground wires: a ground wire on the light box and the driver have a ground wire ;30 " inch long whip with pig tail for hard wire or angle plug..
- 5.Waterproof anodized Aluminum frames and backbody.
6. Warranty: 5 year warranty electrical, components.
7. Fixture should be mounted to a sound surface. Installer should mount hardware in a solid material for proper installation.



Style WITC010

Standard Sizes:

- 24x36
- 36x36
- 42x36
- 48x36
- 54x36
- Inquire for custom sizes.



Options.

Options or Upgrades for Style WITC010
Bluetooth- Digital Clock-
Digital TV-Radio-
Mirror Frames-Magnifying
Mirror heating pad-
Infrared Sensor Switch-
Touch Switch / Press button Switch-
Side Diffusers-Night Light
Standard Sizes/Custom Sizes Available



Style WITC010

Contact: Dan Thomas

PH:630.405.9252 /danthomas@witc.co



WITC Inc.
584 Beaconsfield Ave.
Naperville, IL 60565

www.witc.co



STYLE WITC012 WITH ALL 4 SIDES LIGHT BAR
WITH NIGHT LIGHT FEATURE WITH TOUCH
SENSOR ON FACE OF MIRROR

Style WITC012

Standard Sizes

24x36

36x36

42x36

48x36

54x36


Custom Sizes
Available




TOP AND BOTTOM SIDES LIGHT BAR




LEFT AND RIGHT SIDES LIGHT BAR



TOP LIGHT BAR



LEFT AND RIGHT SIDES TOP LIGHT BAR



ALL 4 SIDES WITH LED LIGHT BAR



STYLE : WITC-012Description

Diffuser WITH DIRECT LIGHT TOP AND BOTTOM LEFT AND RIGHT SIDES

Standard Sizes: 24x36-36x36-42x36-48x36-54x36

CUSTOM SIZE AVAILABLE AND CUSTOM OPTION


Www.witc.co/danthomas@witc.co/630.405.9252



SPECIFICATION:

WITC013— aluminum frame mirror with 1.5 inch frosted.

- 1.Mirror:5mm thickness copper-free mirror,ecofriendly, mirrors with round edges and round corners no straight edges;framed in aluminum frame.
- 2.Lights: IP67 water resistant CE listed LED strip smd2835 120 chips per meter IP67;color 3000K; ETL CERTIFICATE FOR FIXTURE ;UL LISTED DRIVER CE, ROHOS COMPLIANT.CSA C22.2 NO.250.0-08 LUMINAIED UL2108
3. Driver: UL listed, IP67 water resistant;110V with 30" whip pig tail for hard wire.
4. Ground wires: a ground wire on the light box and the driver have a ground wire for the junction box centered ;30 " inch long whip;with an angle plug or pig tail for hard wire.
- 5.Waterproof anodized Aluminum frames and backbody.
6. Warranty: 5 year warranty electrical parts.
7. Fixture should be mounted to a sound surface. Installer should mount hardware in a solid material for proper installation.



Style
WITC008F4


Standard Sizes

24x36
36x36
42x36
48x36
54x36

Custom Sizes



STYLE : WITC-013 Description
Aluminum frame with mirror led light 1.5 Inch frosted all 4 sides..
www.witc.co/danthomas@witc.co /630.405.9252




WITC Inc.
584 Beaconsfield Ave.
Naperville, IL 60565

www.witc.co

Style WITC013
Contact: Dan Thomas
PH:630.405.9252 /danthomas@witc.co



Style WITCM011
Single Door Sizes
 16x30,20x30,24x30,24x36,
Double door sizes
 30x30,36x30,42x36,48x36



SPECIFICATION & OPTIONS



WITCM011;

ETL Certified Medicine Cabinets

1. Lighted Medicine Cabinet.
2. Aluminum body, can be recessed and wall mounting, side kits included.
3. Double sided mirrored door, grooved door edges and corners design
4. Interior mirrored rear wall, back with explosion-proof film.
5. Soft closing door hinges.
6. LED Lights, smd2835, 120LEDs/meter, 3000K/6400K.
7. UL certified brand LED .
8. Adjustable tempered glass shelves
9. Button on off switch or touch sensor switch for mirror cabinet.
10. With interior UL approved shaver sockets with USB ports.
11. With Night Light at the interior electric box, night light with its own switch



Style WITCM011 LED MEDICINE CABINET
 Single Door Sizes 16x30,20x30,24x30,24x36,
 Double door sizes 30x30,36x30,42x36,48x36



WITC Inc.
 584 Beaconsfield Ave.
 Naperville, IL 60565

www.witc.co

Style WITCM011
 Contact: Dan Thomas
 PH:630.405.9252 /danthomas@witc.co



Style WITCM012 LED MEDICINE CBT
Single Door Sizes 16x30,20x30,24x30,24x36,
Double door sizes
30x30,36x30,42x36,48x36

SPECIFICATION

WITCM012;

ETL Certified Medicine Cabinets


1. Lighted Medicine Cabinet.
2. Aluminum body, can be recessed and wall mounting, side kits included.
3. Double sided mirrored door, grooved door edges and corners design
4. Interior mirrored rear wall, back with explosion-proof film.
5. Soft closing door hinges.
6. LED Lights, smd2835, 120LEDs/meter, 3000K/6400K.
7. UL certified brand LED .
8. Adjustable tempered glass shelves
9. Button on off switch or touch sensor switch for mirror cabinet.
10. With interior UL approved shaver sockets with USB ports.
11. With Night Light at the interior electric box, night light with its own switch



Style WITCM012LED MEDICINE CABINET
Single Door Sizes 16x30,20x30,24x30,24x36,
Double door sizes 30x30,36x30,42x36,48x36



WITC Inc.
 584 Beaconsfield Ave.
 Naperville, IL 60565



www.witc.co

Style WITCM012
 Contact: Dan Thomas
 PH:630.405.9252 /danthomas@witc.co



SPECIFICATION


WITCM013; .

ETL Certified Medicine Cabinets


1. Lighted Medicine Cabinet.
2. Aluminum body, can be recessed and wall mounting, side kits included.
3. Double sided mirrored door, grooved door edges and corners design
4. Interior mirrored rear wall, back with explosion-proof film.
5. Soft closing door hinges.
6. LED Lights, smd2835, 120 LEDs/meter, 3000K/6400K.
7. UL certified brand LED .
8. Adjustable tempered glass shelves
9. Button on off switch or touch sensor switch for mirror cabinet.
10. With interior UL approved shaver sockets with USB ports.
11. With Night Light at the interior electric box, night light with its own switch



Style WITCM013 LED MEDICINE CABINET
Single Door Sizes 16x30, 20x30, 24x30, 24x36,
Double door sizes 30x30, 36x30, 42x36, 48x36



Style WITCM013 LED MEDICINE CBT
Single Door Sizes 16x30, 20x30, 24x30, 24x36,
Double door sizes
30x30, 36x30, 42x36, 48x36




WITC Inc.
584 Beaconsfield Ave.
Naperville, IL 60565

www.witc.co

Style WITCM013
Contact: Dan Thomas
PH: 630.405.9252 / danthomas@witc.co



Style WITCM014 LED MEDICINE CBT
 Single Door Sizes 16x30,20x30,24x30,24x36,
 Double door Sizes



WITC Inc.
 584 Beaconsfield Ave.
 Naperville, IL 60565



SPECIFICATION

WITCM014:

1. ETL Certified Medicine Cabinets
2. Lighted Medicine Cabinet.
3. Aluminum body, can be recessed and wall mounting, side kits included.
4. Double sided mirrored door, grooved door edges and corners design
5. Interior mirrored rear wall, back with explosion-proof film.
6. Soft closing door hinges.
7. LED Lights, smd2835, 120LEDs/meter, 3000K/6400K.
8. UL certified brand LED .
9. Adjustable tempered glass shelves
10. Button on off switch or touch sensor switch for mirror cabinet.
11. With interior UL approved shaver sockets with USB ports.
12. With Night Light at the interior electric box, night light with its own switch



Style WITCM014 LED MEDICINE CABINET
 Single Door Sizes 16x30,20x30,24x30,24x36,
 Double door Sizes 30x30,36x30,42x36,48x36



www.witc.co

Style WITCM014
Contact: Dan Thomas
PH:630.405.9252 /danthomas@witc.co



Style WITCM015 LED MEDICINE CBT
 Single Door Sizes 16x30,20x30,24x30,24x36,
 Double door Sizes
 30x30,36x30,42x36,48x36

SPECIFICATION

WITCM015; .

ETL Certified Medicine Cabinets

1. Lighted Medicine Cabinet.
2. Aluminum body, can be recessed and wall mounting, side kits included.
3. Double sided mirrored door, grooved door edges and corners design
4. Interior mirrored rear wall,back with explosion-proof film.
5. Soft closing door hinges.
6. LED Lights,smd2835,120LEDs/meter, 3000K/6400K.
7. UL certified brand LED .
8. Adjustable tempered glass shelves
9. Button on off switch or touch sensor switch for mirror cabinet.
10. With interior UL approved shaver sockets with USB ports.
11. With Night Light at the interior electric box, night light with its own switch




Style WITCM015LED MEDICINE CABINET
 Single Door Sizes 16x30,20x30,24x30,24x36,
 Double door Sizes 30x30,36x30,42x36,48x36



WITC Inc.
 584 Beaconsfield Ave.
 Naperville, IL 60565

www.witc.co



Style WITCM015
 Contact: Dan Thomas
 PH:630.405.9252 /danthomas@witc.co



SPECIFICATION

WITCM016; .

ETL Certified Medicine Cabinets

1. Lighted Medicine Cabinet.
2. Aluminum body, can be recessed and wall mounting, side kits included.
3. Double sided mirrored door, grooved door edges and corners design
4. Interior mirrored rear wall, back with explosion-proof film.
5. Soft closing door hinges.
6. LED Lights, smd2835, 120LEDs/meter, 3000K/6400K.
7. UL certified brand LED .
8. Adjustable tempered glass shelves
9. Button on off switch or touch sensor switch for mirror cabinet.
10. With interior UL approved shaver sockets with USB ports.
11. With Night Light at the interior electric box, night light with its own switch



Style WITCM016LED MEDICINE CABINET

Single Door Sizes 16x30, 20x30, 24x30, 24x36,
Double door Sizes 30x30, 36x30, 42x36, 48x36




Style WITCM016 LED MEDICINE CBT

Single Door Sizes 16x30, 20x30, 24x30, 24x36,
Double door Sizes



WITC Inc.
584 Beaconsfield Ave.
Naperville, IL 60565

www.witc.co



Style WITCM016
Contact: Dan Thomas
PH: 630.405.9252 / danthomas@witc.co



Style WITCM017 LED MEDICINE CBT
Single Door Sizes 16x30,20x30,24x30,24x36,
Double door Sizes

SPECIFICATION


WITCM017; .

ETL Certified Medicine Cabinets

1. Lighted Medicine Cabinet.
2. Aluminum body, can be recessed and wall mounting, side kits included.
3. Double sided mirrored door, grooved door edges and corners design
4. Interior mirrored rear wall,back with explosion-proof film.
5. Soft closing door hinges.
6. LED Lights,smd2835,120LEDs/meter, 3000K/6400K.
7. UL certified brand LED .
8. Adjustable tempered glass shelves
9. Button on off switch or touch sensor switch for mirror cabinet.
10. With interior UL approved shaver sockets with USB ports.
11. With Night Light at the interior electric box, night light with its own switch



Style WITCM017LED MEDICINE CABINET
Single Door Sizes 16x30,20x30,24x30,24x36,
Double door Sizes 30x30,36x30,42x36,48x36



WITC Inc.
 584 Beaconsfield Ave.
 Naperville, IL 60565

www.witc.co

Style WITCM017
 Contact: Dan Thomas
 PH:630.405.9252 /danthomas@witc.co



Style WITCM018 LED MEDICINE CBT
Single Door Sizes
 16x30,20x30,24x30,24x36,
Double door Sizes



SPECIFICATION

WITCM018; .

ETL Certified Medicine Cabinets

1. Lighted Medicine Cabinet.
2. Aluminum body, can be recessed and wall mounting, side kits included.
3. Double sided mirrored door, grooved door edges and corners design
4. Interior mirrored rear wall,back with explosion-proof film.
5. Soft closing door hinges.
6. LED Lights,smd2835,120LEDs/meter, 3000K/6400K.
7. UL certified brand LED .
8. Adjustable tempered glass shelves
9. Button on off switch or touch sensor switch for mirror cabinet.
10. With interior UL approved shaver sockets with USB ports.
11. With Night Light at the interior electric box, night light with its own switch




Style WITCM018LED MEDICINE CABINET
Single Door Sizes 16x30,20x30,24x30,24x36,
Double door Sizes 30x30,36x30,42x36,48x36



CE RoHS

UL 2108, Low Voltage Lighting Systems
 CSA C22.2 No. 250 0-08, Luminaires
 See the UL Online Certifications Directory at
www.ul.com/database for additional information



WITC Inc.
 584 Beaconsfield Ave.
 Naperville, IL 60565

www.witc.co

Style WITCM018
Contact: Dan Thomas
PH:630.405.9252 /danthomas@witc.co